CANDLELIGHT ESTATES - PUD ZONING MAP 1st AMENDMENT

LOCATED IN EAST 1/2 OF THE NW 1/4 SECTION 23, T 1 N, R 69 W, OF THE 6TH P.M. TOWN OF ERIE, COUNTY OF BOULDER, STATE OF COLORADO. 34.56 ACRES


LEGAL DESCRIPTION:

A Tract of land located in the NW 1/4 of Section 23, Township 1 North, Range 69 West of the 6th Principal Meridian,

Beginning at the center of said Section 23, T 1 N, R 69 W; thence S 88 degrees 37 minutes 13 seconds W, 618.41 feet along the East—West centerline of said Section 23; thence N 00 degrees 02 minutes 04 seconds East, 1073.13 feet parallel with the North—South center—line of said Section 23 to the centerline of the Leyner Cottonwood No. 1 Ditch; the following courses and distance are along the centerline of the Leyner Cottonwood No. 1 Ditch:

There N 35 degrees 54 minutes 24 seconds East, 74.62 feet; thence N 42 degrees 24 minutes 34 seconds East, 54.46 feet; thence N 14 degrees 17 minutes 54 seconds East, 45.57 feet; thence N 00 degrees 49 minutes 56 seconds W, 72.61 feet; N 12 degrees 33 minutes 54 seconds E, 88.65 feet; thence; N 01 degrees 22 minutes 46 seconds W, 94.84 feet; thence N 34 degrees 36 minutes 46 seconds W, 62.74 feet, thence; N 01 degrees 21 minutes 29 seconds E, 86.79 feet; thence N 04 degrees 04 minutes 49 seconds E, 64.68 feet; thence N 10 degrees 45 minutes 11 seconds W, 64.81 feet; thence N 13 degrees 07 minutes 01 seconds E, 50.78 feet; thence N 29 degrees 40 minutes 59 seconds E, 45.60 feet; thence N 05 degrees 53 minutes 26 seconds W, 43.55 feet; thence N 46 degrees 02 minutes 03 seconds W, 43.55 feet; thence N 49 degrees 03 minutes 04 seconds W, 41.76 feet; thence N 67 degrees 16 minutes 01 seconds W, 113.55 feet; thence N 27 degrees 46 minutes 16 seconds W, 20.21 feet; thence N 56 degrees 21 minutes 19 seconds E, 69.67 feet; thence N 56 degrees 59 minutes 09 seconds E, 150.57 feet; thence N 73 degrees 48 minutes 54 seconds E, 149.68 feet; thence N 69 degrees 55 minutes 09 seconds E, 150.57 feet; thence N 64 degrees 42 minutes 54 seconds E, 114.98 feet to the North line of the NW 1/4 of said Section 23, thence leaving the centerline of the Leyner Cottonwood No. 1 Ditch, N 88 degrees 22 minutes 29 seconds E, 136.41 feet along the North line of centerline of the Leyner Cottonwood No. 1 Ditch, N 88 degrees 22 minutes 29 seconds E, 136.41 feet along the North line of the NW 1/4 of said Section 23 to the N 1/4 corner thereof; thence S 00 degrees 02 minutes 04 seconds W, 2652.20 feet along the North—South Centerline of said Section 23 to the center of said Section 23 and the Point of Beginning, except a right—of—way along the South 30.00 feet of the above described tract of land for isabelle Road (County Road No. 52),

THUS DESCRIBED TRACT CONTAINS 34.56 ACRES MORE OR LESS, TOGETHER WITH AND SUBJECT TO ALL EASEMENTS AND RIGHTS-OF-WAY EXISTING AND/OR OF PUBLIC RECORD.



A. TITLE AND NAMES

 DEVELOPER: OCHSNER LEGACY TRUST 5440 WARD ROAD SUITE 240 ARVADA, CO 80002 (303) 420-5352

2. DEVELOPMENT PLAN PREPARED BY:
ALLIANCE ENGINEERING, Ltd.
9737 WADSWORTH PARKWAY
WESTMINSTER, CO 80021
(720) 898-0660

3. NAME OF DEVELOPMENT: CANDLELIGHT ESTATES

1. TO DEVELOP 31 SINGLE FAMILY LOTS, THE OVERALL DENSITY OF THE DEVELOPMENT WILL BE 1.11 UNITS PER ACRE GROSS.

C. AMENDMENTS 1. 1st AMENDMENT: MODIFY FENCE STANDARDS

SHEET INDEX

SHEET 1 - COVER SHEET

SHEET 2 - STATEMENT OF COMMITMENTS AND LAND USE SHEET 3 - PUD MAP

PLANNED UNIT DEVELOPMENT MINOR AMENDMENT APPROVAL CERTIFICATE THIS PUD MINOR AMENDMENT HAS BEEN REVIEWED AND FOUND TO BE COMPLETE AND IN ACCORDANCE WITH APPLICABLE TOWN OF ERIE REGULATIONS.

DIRECTOR OF PLANNING AND DEVELOPMENT

08/01/2018 08:06 AM 03668653

RF: \$33.00 DF: \$0.00

Page: 1 of 3

Electronically recorded in Boulder County Colorado. Recorded as received.

CLERK & RECORDER CERTIFICATE STATE OF COLORADO)
COUNTY OF

COUNTY CLERK AND RECORDER

PUD ZONING MAP 1ST AMENDMENT JOB NUMBER: PUDA-000986-201

7/18/2018

CANDLELIGHT ESTATES - PUD ZONING MAP 1st AMENDMENT

LOCATED IN EAST 1/2 OF THE NW 1/4 SECTION 23, T 1 N, R 69 W, OF THE 6TH P.M. TOWN OF ERIE, COUNTY OF BOULDER, STATE OF COLORADO. 34.56 ACRES PUDA-000986-2018

STATEMENT OF COMMITMENT:

LAND USE DEDICATION

ACCESSORY USES PERMITTED:

SUBDIVIDED AT SOME TIME IN THE FUTURE.

PARKING STANDARDS:

ERIE PARKWAY

NOT APPLICABLE

PARK FEES

F.) FIRE PROTECTION

REQUIRED;

ONE SINGLE-FAMILY DWELLING UNIT PER LOT:

MINIMUM LOT SIZE: 17,000 SQUARE FEET

PARTICULAR DWELLING UNIT WILL BE PROVIDING ONE.

SANITARY SEWER REIMBURSEMENT FEE

WETLANDS/RIPARIAN PRESERVATION PLAN

1. MTN. VIEW FIRE PROTECTION DISTRICT

WATER LINE REIMBURSEMENT FEE

WILDLIFE PRESERVATION PLAN

PROJECT PHASING RESTRICTIONS

HOME OCCUPATIONS, PROVIDED THE REQUIREMENTS AND CONDITIONS OF THE TOWN OF

USES CLEARLY INCIDENTAL AND CUSTOMARY TO AND COMMONLY ASSOCIATED WITH THE

THE LOTS, AS DEFINED ON THE FINAL PLAT FOR CANDLELIGHT ESTATES, MAY NOT BE

PARKS, PLAYGROUNDS OR OTHER RECREATIONAL USES - NO OFF STREET PARKING

C. 25% OF ALL HOMES TO BE BUILT WITH ALTERNATIVELY LOADED GARAGES (8 HOMES

OUT OF 31 TOTAL). DEFINED AS BEING ANY GARAGE WITH RECESSED GARAGE DOORS, SIDE

LOADED GARAGES. REAR ENTRY GARAGES, RECESSED DETACHED GARAGES, AND/OR SIMILAR

TYPES OF GARAGE ORIENTATION WHERE THE GARAGE DOORS ARE LOCATED MORE THAN FOUR FEET BEHIND THE FRONT FACADE OF THE STRUCTURE. (EXCLUSIVE OF FRONT PORCHES). EACH

NUMBER OF ALTERNATIVELY LOADED GARAGES APPROVED AND WHETHER OR NOT THAT

OFF SITE IMPROVEMENTS (SPECIFIED IN DEVELOPMENT AGREEMENT)

LEYNER COTTONWOOD DITCH BUFFER AREA (TRACT E)

THE PROJECT WILL BE CONSTRUCTED IN ONE PHASE

BUILDING PERMIT APPLIED FOR WILL HAVE TO SUBMIT A TALLY SHEET INDICATING THE OVERALL

PRIMARY PERMITTED USES, INCLUDING BUT NOT LIMITED TO PRIVATE GARAGES:

RESIDENTIAL - TWO ENCLOSED SPACES PER DWELLING UNIT:

PERMITTED USES:

ERIE ZONING CODE ARE MET.

CANDLELIGHT ESTATES

SETBACK REQUIREMENTS: MINIMUM LOT AREA

PRIMARY BUILDINGS

17,000 SQUARE FEET

25 FEET

FRONT & STREET SETBACK SIDE SETBACK

INTERIOR

10 FEET

REAR SETBACK

20 FEET ALONG OPEN SPACE 30 FEET BACK-BACK RESIDENCES

18 FEET LOT 16, BLOCK 2

20 FEET BETWEEN BUILDINGS TO BE STRICTLY ENFORCED BY H.O.A DESIGN REVIEW COMMITTEE AS PROVIDED FOR IN COVENANTS.

MAXIMUM BUILDING HEIGHT

MAXIMUM COVERAGE

35 FEET

ACCESSORY BUILDINGS

FRONT SETBACK SIDE SETBACK

INTERIOR

STREET

10 FEET

REAR SETBACK

25 FEET

20 FEET ALONG OPEN SPACE

MAXIMUM BUILDING HEIGHT

30 FEET BACK-BACK RESIDENCES

NOTES:

1. LOT 3, BLOCK 2 WILL HAVE A 30 FOOT REAR YARD SETBACK APPLIED TO THE EAST PROPERTY LINE. THE HOUSE CONSTRUCTED ON THIS LOT WILL BE RESTRICTED TO 30' IN HEIGHT ORIENTED TOWARD THE WEST SIDE OF THE LOT WITH ONE WALL OF THE HOUSE WITHIN 15 FEET OF THE WESTERN PROPERTY BOUNDARY.

2. LOT 4, BLOCK 2 WILL HAVE A 30 FOOT REAR YARD SETBACK APPLIED TO THE EAST AND NORTH PROPERTY LINES. THE HOUSE CONSTRUCTED ON THIS LOT WILL BE RESTRICTED TO 30' IN HEIGHT ORIENTED TOWARD THE WEST SIDE OF THE LOT WITH ONE WALL OF THE HOUSE WITHIN 15 FEET OF THE WESTERN PROPERTY BOUNDARY.

3. LOT 16, BLOCK 2 WILL HAVE AN 18 FOOT REAR YARD SETBACK APPLIED TO THE EAST PROPERTY LINE TO ACCOMMODATE THE EXISTING HOUSE AND GARAGE.

DETERMINE THE THE NEED FOR UNDERDRAINS PRIOR TO OBTAINING A BUILDING PERMIT.

LAND USE CHART

LAND USE	NO. OF UNITS	DENSITY	AREA ACRES	% OF TOTAL AREA
SINGLE FAMILY	31	1.11 DU	21.49	62%
DRAINGE + UTILITY TRACTS	N/A	N/A	0.59	2%
OPEN SPACE	N/A	N/A	7.34	21%
STREET ROW	N/A	N/A	5.14	15%
		TOTAL	34.56	100%

4. ALL LOTS WILL BE REQUIRED TO SUBMIT A SITE SPECIFIC GEOTECHNICAL EVALUATION TO

TRACT SUMMARY CHART:

TRACT	SIZE OF TRACT		OWNERSHIP	MAINTENANCE RESPONSIBILITY
TRACT A	29,668 SF 0.68 ACRES	DESCRIPTION Open Space, Drainage Landscape Buffer, Public Access Easements	Home Owners Association	Home Owners Association
TRACT B	15,763 SF 0.36 ACRES	Drainage and Utility Easements	Home Owners Association	Home Owners Association
TRACT C	3,837 SF 0.09 ACRES	Drainage and Utility Easements	Home Owners Association	Home Owners Association
TRACT D	6,091 S.F. 0.14 ACRES	Drainage and Utility Easements	Home Owners Association	Home Owners Association
TRACT E	6.66 ACRES	Open Space, Drainage and Utilities, Public Access Easements	Home Owners Association	Home Owners Association

ANCILLARY USE STANDARDS:

1. FENCES

THE PURPOSE FOR FENCING REQUIREMENTS IS TO PROVIDE FOR SECURITY, FOR SCREENING OF UNSIGHTLY AREAS, VISUAL RELIEF, BUFFERING AND FOR VARIETY WHERE APPROPRIATE. FENCING REQUIREMENTS ARE AS FOLLOWS:

ONLY WROUGHT IRON FENCES OR METAL FENCES WITH AN APPEARANCE OF WROUGHT IRON SHALL BE PERMITTED FOR INSTALLATION ON RESIDENTIAL LOTS IN CANDLELIGHT ESTATES. FENCES SHALL NOT BE MORE THAN FIFTY PERCENT OPAQUE. RESIDENTS ARE NOT REQUIRED TO ERECT A FENCE. TEMPORARY CONSTRUCTION OF SAFETY AND SECURITY FENCES SHALL BE

PERMITTED AT CONSTRUCTION SITES. THESE FENCES MAY BE CHAIN LINK OR WIRE MESH FENCES OR ANY SIMILAR TYPES OF SAFETY FENCE. WITH A MAXIMUM HEIGHT TO 6 FEET;

FENCING SHALL MEET THE TOWN OF ERIE'S FENCING REQUIREMENTS, IN ADDITION TO THE STANDARDS ABOVE PERMITS SHALL BE OBTAINED AS REQUIRED BY THE TOWN OF ERIE PRIOR TO THE CONSTRUCTION OF ANY FENCES.

2. LIGHTING:

RESIDENTIAL HOME LIGHTING SHALL USE A CUT-OFF LIGHT FIXTURE AND SHALL NOT CAST GLARE ON ADJACENT PROPERTIES:

STREET LIGHTING SHALL BE PEDESTRIAN IN CHARACTER AT A MINIMUM POLE HEIGHT ACCEPTABLE TO XCEL ENERGY WITH A CUTOFF FIXTURE TO MINIMIZE UP-LIGHTING. STREET LIGHTING SHALL BE APPROVED BY THE TOWN OF ERIE.

COMMON AREAS:

- TRACTS A. B. C. D AND E ARE TO BE OWNED AND MAINTAINED BY THE HOMEOWNER'S
- THE HOMEOWNER'S ASSOCIATION WILL MAINTAIN THE ENTRY IDENTIFICATION AND
- A PUBLIC ACCESS EASEMENT HAS BEEN DEDICATED ACROSS TRACTS A AND E.

23.99' TRACT "B' UT. EASEMENT H H 10' ACCESS EXIST 2' FLAT SLOPE 11' DITCH TRANSITION SEEDED LEROSION CONTROL 8" OF 3/4" CL6 ROAD ----BLANKET WITHIN DITCH ∠3:1 GRASS CHANNEL

TRACT "B" MAINTENANCE ACCESS PROPOSED TYPICAL SECTION <u>NTS</u>

ZONING MAP AMENDMENT PUD 1ST,

JOB NUMBER: PUDA-000986-201

7/18/2018

NONE

2 of 3